

RECLAIMED FLOORING & TIMBERS ARCHITECTURAL SPECIFICATIONS



MANOMIN
RESAWN TIMBERS
Saving the Forests Past & Present





RECLAIMED DOUGLAS FIR

Manomin Signature Flooring

Remilled from reclaimed Douglas Fir, Manomin Signature is our most popular floor. It will look great with any look or lifestyle. This floor has a mixture of grain patterns with red tones in the wood.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: Random: $\frac{3}{4}$ " to 10" wide in 1" increments, tongue & groove or square edge

Lengths: From 4' to 16' long

Grain: Mixed flat and vertical grain

Knots: Medium to large knots, checked knots, open knots up to a dime size are typically filled after installation

Checks: One out of six boards will have surface checking

Nail/Bolt Holes: A reminder of the woods previous life, nail holes, nail stain, possible infrequent bolt holes

Also available in single widths and wider widths



RECLAIMED DOUGLAS FIR

Manomin Lodge

Manomin Lodge flooring rustic appearance comes from the checks and nail holes developed over years of service in a building or bridge. Its character is a wonderful reminder of the woods history. Manomin Lodge flooring is milled from reclaimed Douglas Fir timbers rescued from century old structures located throughout the U.S.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: Random: $\frac{3}{4}$ " to 10" wide in 1" increments, tongue & groove or square edge

Lengths: From 4' to 16' long

Grain: Mixed flat grain and vertical grain

Knots: Frequent knots of all sizes, checked knots, open knots up to the size of a quarter (which are filled after installation)

Checks: Heavy checking

Nail/Bolt Holes: A reminder of the woods previous life, nail holes, nail stain, possible infrequent bolt holes

Also available in single widths and wider widths



RECLAIMED DOUGLAS FIR

Manomin Rustic Rough Sawn

Manomin Rustic Rough Sawn flooring is milled from reclaimed Douglas Fir timbers rescued from century old structures located through out the U.S. The wood is left rough sawn right out of the sawmill. Once installed it is lightly sanded and the surface is built up with polyurethane. The floor has a rough appearance, but is smooth enough to walk on bare foot.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: Random: $\frac{3}{4}$ " to 10" wide in 1" increments, tongue & groove or square edge

Lengths: From 4' to 16' long

Grain: Mix of Vertical and Flat

Knots: Open knots smaller than a quarter and star checked knots are acceptable

Checks: The flooring boards will contain checking. The checking will contain dark staining that accentuates the checking

Nail/Bolt Holes: Flooring will contain nail holes and some random bolt holes with black staining from the iron nail and/or bolt

Also available in single widths and wider widths



RECLAIMED DOUGLAS FIR

Vertical Grain Floor

Premium grade of reclaimed Douglas Fir available Tongue and Groove or Square Edge.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: Call for availability

Lengths: Call for availability

Grain: Vertical

Knots: Small and infrequent

Checks: Minimal

Nail/Bolt Holes: A reminder of the woods previous life, nail holes, nail stain, possible infrequent bolt holes



RECLAIMED DOUGLAS FIR

Weathered Antique Flooring

This distressed wood floor happens naturally from years of aging from the elements. Rich patina, original saw marks, and textured surfaces give this floor a truly aged look. Antique Sleeper Joist flooring is milled from 2 x 10 sleeper joist that retains the original face of the joist. Oil based polyurethane on the original face of the wood gives the flooring its rich dark patina.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: Random: $\frac{3}{4}$ " to 10" wide in 1" increments, tongue & groove or square edge

Lengths: Average length of 10'

Grain: Mixed flat and vertical grain

Knots: Unlimited size of knots

Checks: Drying checks and surface checks

Nail/Bolt Holes: Minimal nail/bolt holes, slight depressions and markings add to the character. A reminder of the woods previous life.



FLOOR SHOWN: 15.5" WIDE



RECLAIMED DOUGLAS FIR

Manomin Extreme

Manomin Extreme is truly an incredible floor. Your clients will comment on the uniqueness of boards this wide. Manomin Extreme is milled from reclaimed Douglas Fir timbers rescued from century old structures located throughout the U.S.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: 12" to 15" wide square edge planks


Lengths: from 4' to 14' long

Grain: Mixture of flat and vertical

Knots: Open knots and star checked knots are acceptable

Checks: The majority of flooring boards will contain checking. The checking may contain dark staining that accentuates the checking

Nail/Bolt Holes: Flooring will contain nail holes and some random bolt holes with black staining from the iron nail and/or bolt



RECLAIMED SOUTHERN YELLOW HEART PINE

Skipped Planed

Skipped Planed Southern Yellow Heart Pine flooring is milled from reclaimed Southern Yellow Heart Pine. This flooring has rich caramel colors with a rustic face from the skip planing. Rich patina, original saw marks, and textured surfaces give this floor a truly aged look.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: Random: $\frac{3}{4}$ " to 10" wide in 1" increments, tongue & groove or square edge

Lengths: 2' to 14'

Grain: Mixed

Knots: Flooring will contain multiple knots

Checks: Light surface checking

Nail/Bolt Holes: Frequent nail holes with nail staining

Also available in planed smooth finish



RECLAIMED SOUTHERN YELLOW HEART PINE

Planed Smooth

Planed Smooth Southern Yellow Heart Pine flooring is milled from reclaimed Southern Yellow Heart Pine. This flooring has a rich golden and amber patina.

Thickness: $\frac{3}{4}$ "

Widths: Random: $\frac{3}{4}$ " to 10" wide in 1" increments, tongue & groove or square edge

Lengths: 2' to 14'

Grain: Mixed

Knots: Flooring will contain multiple knots

Checks: Light surface checking

Nail/Bolt Holes: Frequent nail holes with nail staining

Also available in planed smooth finish



ANTIQUE OAK FLOORING

Manomin Antique Oak

Manomin Antique Oak is milled from a mix of Red and White Oak barn timbers and Oak barn Decking creating a rich warm patina that only comes from antique wood. Manomin Antique Oak is available planed smooth, skip planed, a blend of the two surfaces or the original face.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: Random: $\frac{3}{4}$ " to 10" wide in 1" increments, tongue & groove

Lengths: 18' to 12' with an average of 6'

Grain: Mixed flat and quartersawn

Knots: Frequent knots, star checked knots, some open knots

Checks: May have light surface checking

Nail/Bolt Holes: Flooring will contain nail holes, bolt holes and some random bolt holes with black staining from iron nail and/or bolts



ANTIQUE ELM FLOORING

Manomin Antique Elm

Manomin Antique Elm is milled from Elm sleeper timbers that were once used as the walls for farm granaries. We are now milling this wood into our gorgeous Antique Elm. You will not find this beautiful Elm wood in new wood flooring because the Elm trees were virtually destroyed from Dutch Elm disease in the 1970's.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: Random: $\frac{3}{4}$ " to 10" wide in 1" increments, tongue & groove

Lengths: Average of 6'

Grain: Mixed flat grains

Knots: Frequent knots, star checked knots, some open knots

Checks: Will have light checking

Nail/Bolt Holes: Flooring may contain nail holes, and some random bolt holes with black staining from iron nail and/or bolts.

Also available in planed smooth finish



PINE

Rescued Barn Boards

White Pine flooring had been remilled from barn boards, giving the flooring a rustic, antique appearance.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: 6" to 16" wide square edge planks

Lengths: Up to 12' long

Knots: Frequent knots of all sizes, checked knots

Checks: May have heavy checking

Nail/Bolt Holes: Nail holes, nail staining, bolt holes

Available in: Planed smooth, original band saw face or circle sawn face*

* Every floor is one of a kind



RECLAIMED BLACK WALNUT

Manomin Black Walnut

Reclaimed Black Walnut is rescued from 100+ year old barns and out structures. The wood has a rich chocolate patina. This particular floor was further enhanced by handscraping and square pegs.

Grade Specifications

Thickness: $\frac{3}{4}$ "

Widths: Vary depending on availability

Lengths: Vary depending on availability

Grain: Mixed

Knots: Random

Checks: Minimal

Nail/Bolt Holes: Small occasional nail holes

Available in: Square edge or tongue and groove

Also available in planed smooth finish



Resawn Reclaimed Douglas Fir Mantel planed smooth, sanded, sealed, 2 coats of oil based polyurethane

Manomin Fireplace Mantels

Manomin Fireplace Mantels are milled from reclaimed timbers and handcrafted by artisans.

Available in: Douglas Fir, Pine, Oak, Elm and Hickory

Finishes: As is, wire brushed, roughsawn, lightly sanded additional face, planed smooth, finished or unfinished

All mantels are custom. Please specify type of wood, size, and finish.



Resawn Reclaimed Douglas Fir Mantel planed smooth, sanded, sealed, 2 coats of oil based polyurethane.



Resawn Douglas Fir Mantel sculpted smooth, sanded, sealed, 2 coats of oil based polyurethane. Bottom front of mantel slightly rounded over.



Reclaimed Douglas Fir burned mantel, oil based polyurethane finish.

Manomin Fireplace Mantels



Reclaimed Douglas Fir with wire brushed As Is face, sealed and 2 coats of oil based polyurethane.



Douglas Fir mantel milled from a reclaimed timber. Sanded, sealed and 2 coats of polyurethane finish.

Manomin Fireplace Mantels



Reclaimed Douglas Fir Box Beams | Medium Espresso Finish



Timbers are wire brushed, sealed and 2 coats of oil polyurethane.

Timbers

Custom cut to your specifications, rough sawn, sanded smooth or with an as is weathered face. Sizes of as is face is based on availability. Available in Reclaimed Douglas Fir, Pine and other various hard woods. Timbers are available as is*, wire brushed, custom cut, rough sawn, or sanded smooth. All timbers are available pre finished.

* As is timbers are available with as is weathered face, wire brushed or sanded. Sizes based on availability.



Resawn roughsawn reclaimed Douglas Fir, Lodge Grade.



Resawn Reclaimed Douglas Fir Signature Grade with a rough-sawn face, sealed with 2 coats of poly.



Example of a box timber.





Reclaimed Douglas Fir timber wirebrushed, sealed and 2 coats of oil based polyurethane.



Gray weathered timber with original face.



Hand hewn timber with original face.



Reclaimed Rough Sawn Douglas Fir | Natural Finish

Rough Sawn Timber

Timbers are custom cut to your specifications.

Available in Reclaimed Douglas Fir, White Pine, and other species as available.



Hand Hewn Timbers are carefully removed from old barns dating back prior to 1880. These timbers have a beautiful grey and/or brown patinas, each with its own unique hewn marks.

Hand Hewn Timbers

Size of timbers are typically 6" x 6" to 12" x 12" and are available in hard or soft woods.

Timbers will contain mortise pockets, peg holes, nails, checking and worm holes.



Reclaimed Skipped Planed Southern Yellow Pine
Natural Finish, Tongue & Groove



Reclaimed Douglas Fir Castle Grade | Natural Finish,
Square Edge Planks



Reclaimed Douglas Fir Signature Grade | Natural Finish,
Reverse Board & Batten



Reclaimed Douglas Fir Lodge & Signature Grade
Natural Finish, Square Edge Planks

Paneling

Manomin will custom mill your paneling per your specifications.

Paneling shown is Reclaimed Douglas Fir

½" or ¾" thick

Square Edge, Tongue and Groove or Shiplap




PANELING

Timber Skins

Timber skins are the weathered face of the reclaimed timber. These are slices off the timber and will vary in thickness from $\frac{1}{4}$ " to $\frac{3}{4}$ " thick. Widths and lengths are random. The timber skins will have color variation and a rich aged patina.



GRAY BARNBOARD



RED BARNBOARD

PANELING

Barn Siding

Antique barnboards have a rich patina and character imparted by decades of daily use and weathering by wind, rain and sun. Available in gray, red and brown. The inside of the barnboard will have a rich brown patina.



Staircases and Stair Parts

Manomin will custom mill stair parts per your specification.

Treads, risers, skirt boards and stringers available in Reclaimed Douglas Fir, Pine, Oak and Elm.

Standard treads are 1 1/8" thick, Risers measure 3/4" x 8"

* Thick treads available for open staircases



Railings

Manomin will mill custom railings per your specifications.

Railing can be milled from reclaimed Douglas Fir, Oak , Elm or Pine.



Hand Hewn Timber with Timber Skins




Original Face Pine with Weathered Face Paneling



Original Face Pine with Weathered Face Paneling

Antique Ceilings

Manomin will supply rough sawn or planed smooth timbers to your specifications to create unique spaces.
Original face material sizes vary based on availability.
Available in Reclaimed Douglas Fir, Pine, Oak and Elm



Our Showroom

Visiting our showroom is worth the trip. We have hundreds of square feet of flooring, paneling, timbers and mantels in several finishes. You can even tour the manufacturing plant.

Unique • Natural • Distinctive • Enduring

Manomin Resawn Timbers mills reclaimed lumber which can be used for a variety of purposes including wide plank flooring, custom cut timbers, and decorative accents. Only antique lumber from the late 19th and early 20th century can give you the richness and depth of grain that reclaimed lumber has. For a look that cannot be duplicated, Manomin reclaimed timbers are a distinctive and unique choice.



15152 Freeland Avenue
Hugo, MN 55038
651.464.1771 | mrtimbers.com